

SKID STEER

TIRES FOR SKID STEER
LOADING OPERATIONS



FOR MORE THAN 100 YEARS

General Tire has over 100 years of experience and expertise in the development and production of tires made specifically for off-the-road applications. The world-renowned brand stands as a trusted partner, while providing a great price-performance-ratio for tires.



GENERAL TIRE. SINCE 1915.

WWW.GENERALTIRESPCIALTY.COM

SKID STEER SD

STANDARD TO LIGHT DUTY APPLICATIONS



FEATURES & BENEFITS



Wide and even ground contact patch gives even wear.



Optimized tread angles provide good traction and flotation.



The multi-purpose design offers great value for performance.

TECHNICAL DATA

ARTICLE NO.	TIRE SIZE	TREAD CODE	PR	RIM	OVERALL DIAMETER		SECTION WIDTH		TREAD DEPTH		TIRE WEIGHT	
					inch	mm	inch	mm	32nds	mm	lbs	kg
12705800000	10-16.5-10	SS	10PR	8.25x16.5	30.4	772.5	10	254.1	20	15.9	44	20
12705810000	12-16.5-10	SS	10PR	9.75x16.5	32.7	830.9	12.1	307.5	23	18.3	56	28

SKID STEER HD

HEAVY DUTY APPLICATIONS



FEATURES & BENEFITS



Deep staggered tread bar design provides excellent traction with superior grip.



Cut resistant compound is highly resistant to cut and chips for improved operating hours.



Heavy duty casing construction gives superior durability in rocky conditions.



TECHNICAL DATA

ARTICLE NO.	TIRE SIZE	TREAD CODE	PR	RIM	OVERALL DIAMETER		SECTION WIDTH		TREAD DEPTH		TIRE WEIGHT	
					inch	mm	inch	mm	32nds	mm	lbs	kg
12705820000	10-16.5-10	SS	10PR	8.25x16.5	31	787.7	10.5	266.8	30	23.8	64	29
12705830000	12-16.5-12	SS	12PR	9.75x16.5	33	838.5	12.5	317.6	32	25.4	78	35

SKID STEER XHD



EXTRA HEAVY DUTY APPLICATIONS AND VARYING SURFACE CONDITIONS



FEATURES & BENEFITS



Deep tread pattern gives a high level of wear volume for long tire life.



Multiple arrow shaped tread lugs with gripping edges provide excellent traction and a smooth ride on and off road.



Enhanced sidewall protection prevents cuts and impact damage in harsh applications.

TECHNICAL DATA

ARTICLE NO.	TIRE SIZE	TREAD CODE	PR	RIM	OVERALL DIAMETER		SECTION WIDTH		TREAD DEPTH		TIRE WEIGHT	
					inch	mm	inch	mm	32nds	mm	lbs	kg
12705840000	10-16.5-10	SS	10PR	8.25x16.5	30.6	777.5	10.7	271.9	32	25.4	69	31
12705850000	12-16.5-12	SS	12PR	9.75x16.5	32.9	836	13	330.3	40	31.8	95	43