

REM-6 & REM-3

FORKLIFT AND SKID STEER TIRES

 PREMIUM ALL-STEEL RADIALS

THE SMART MONEY IS ON



THE SMART MONEY IS ON



REM-3



(SS) Skid steer tire

The Double Coin REM-3 is built with an all-steel radial casing and a specially designed uni-directional tread pattern. These features combine for maximum traction and tire durability in a variety of skid steer applications.

The REM-3's radial design offers optimum performance and increased tire life through uniform wear, as well as an enhanced ride and handling for operator comfort.

All-steel radial casing

Special uni-directional design for maximum traction in skid loader applications

Enhanced off-the-road handling and ride with radial design

Increased tire life with premium tread compounds



PRODUCT CODE	TIRE SIZE	PATTERN	LOAD SYMBOL	SPEED MAX (KM/H)	SPEED MAX (MPH)	OVERALL DIAMETER (INCH)	SECTION WIDTH (INCH)	TREAD DEPTH (32NDS)	RIM	SINGLE MAX LOAD/PRESSURE	TIRE WEIGHT	TIRE TYPE
1106340650	10R16.5	REM-3	128A5	35	22	30	10	23	8.25	3900lb/54psi	32kg/70lb	TL
1106342650	12R16.5	REM-3	141A5	35	22	33	12	29	9.75	5600lb/54psi	42kg/93lb	TL

THE SMART MONEY IS ON



REM-6



(IND) Industrial lug tire

The Double Coin REM-6 all-steel radial design delivers optimum performance and traction in industrial lug, crane and port applications. The REM-6 is engineered with special tread compounds to run cool, fight rapid wear and deliver remarkable stability.

All-steel radial casing for extended tire life, increased operator comfort, and reduced machine wear

Flat, wide tread face provides optimum performance and wear

Special tread compounds fight rapid wear

Wide size range offers optimum stability and reduced lateral movement in a wide variety of applications



PRODUCT CODE	TIRE SIZE	PATTERN	LOAD SYMBOL	SPEED MAX (KM/H)	SPEED MAX (MPH)	OVERALL DIAMETER (INCH)	SECTION WIDTH (INCH)	TREAD DEPTH (32NDS)	RIM	SINGLE MAX LOAD/PRESSURE	TIRE WEIGHT	TIRE TYPE
1106355086	5.00R8	REM-6	111A5	35	22	18	5	31	3.00D	2398lb/145psi	10kg/23lb	T&F
1106356096	6.00R9	REM-6	121A5	35	22	21	6	31	4.00E	3190lb/145psi	17kg/37lb	T&F
1106356505	6.50R10	REM-6	128A5	35	22	23	7	34	5.00	3968lb/145psi	20kg/44lb	T&F
1106357026	7.00R12	REM-6	136A5	35	22	26	7	35	5.00S	4928lb/145psi	27kg/59lb	T&F
1106353156	315/70R15	REM-6	165A5	35	22	33	12	45	8.00	11330lb/145psi	59kg/130lb	T&F / TL
1106357056	7.00R15	REM-6	143A5	35	22	29	8	35	5.50	5995lb/145psi	32kg/69lb	T&F
1106357556	7.50R15	REM-6	146A5	35	22	30	8	38	6.00	6600lb/145psi	37kg/81lb	T&F
1106358255	8.25R15	REM-6	153A5	35	22	33	9	40	6.50	8050lb/145psi	47kg/104lb	T&F
1106352275	225/75R15	REM-6	149A5	35	22	28	9	31	7.00	7150lb/145psi	32kg/70lb	T&F
1106352575	250/70R15	REM-6	153A5	35	22	29	10	33	7.00	8030lb/145psi	35kg/77lb	T&F
1106351006	10.00R20	REM-6	166A5	35	22	42	12	44	7.50	11660lb/145psi	87kg/191lb	T&F
1106351206	12.00R20	REM-6	176A5	35	22	45	13	52	8.50	19570lb/145psi	111kg/245lb	T&F
1106351246	12.00R24	REM-6	178A5	35	22	49	13	49	8.50	20670lb/145psi	126kg/278lb	T&F
1106354241	14.00R24	REM-6	193A5	25	15	56	15	81	10.00	27340lb/145psi	232kg/506lb	T&F
1106354242	14.00R24	REM-6	193A5	25	15	56	15	81	10.00	27340lb/145psi	232kg/506lb	TL
1106351825	18.00R25	REM-6	207A5	25	15	65	20	81	13.00/2.5	46480lb/145psi	415kg/915lb	TL

SMALL RADIAL OTR

REM-1 
(G2) GRADER



REM-2 
(E3/L3) EARTHMOVER/
LOADER TIRE



REM-10 
(E3/L3) HAULAGE/
ARTICULATED TIRE



REM-12 
(L5) MINING LOADER TIRE



REM-15 
(E2/L2/G2) GRADER/LOADER
TIRE



REM-19 
(L5) LOADER TIRE



REM-2S    M+S
(E2/L2/G2) EARTHMOVER/
LOADER/GRADER



NEW TIRE

REM-28S   
(L3/G3/MCS) LOADER/GRADER/
MOBILE CRANE SERVICE TIRE



LARGE RADIAL OTR

REM-9 
(E4) HAULAGE TIRE



REM-18 
(L5) LOADER TIRE



RADIAL MOBILE CRANE

REM-8 
(MCS) HIGH-SPEED CRANE
TIRE



RADIAL INDUSTRIAL

REM-3 
(SS) SKID STEER TIRE



REM-6 
(IND) INDUSTRIAL LUG TIRE



REM-17 
(IND) INDUSTRIAL LUG TIRE

