




SC20 Mileage+

A solid decision.

When mileage performance counts.

Vehicles used outside often encounter tougher conditions and the requirements on the tire focus more on mileage performance and long service life.

The new SC20 Mileage+ is the latest addition to our hugely successful SC20 range. Thanks to improved abrasion properties, it is extremely durable and shows excellent resistance to wear. The network of short sulphur connections in the compound enable the tire to adapt to local conditions - like dirty surfaces - as well providing resistance to punctures and cuts. This results in a tire with outstanding mileage performance.





Optimised compound

Short chain sulphur connections Optimised silica content for high resistance to cutting

High mileage performance Improved abrasion behavior Cut resistance

Pioneering eco-friendly innovations

Continental Commercial Specialty Tires (CST) continuously invests in the development of sustainable innovations for economically and ecologically efficient mobility. Besides the reduction of fuel and energy consumption, the tire manufacturer focuses on enhancing the tires' performance with regard to a long service-life and an extended lifecycle. Long-lasting tires consume less energy across the entire supply chain, including application. Furthermore, Continental CST finds it particularly important to use environmentalfriendly raw materials. The company works on pioneering renewable resources such as Taraxagum. For these successful initiatives, Continental has received the European environment prize "GreenTec Award". The tire manufacturer is also obliged to the European Chemicals Directive REACH that stipulates the Registration, Evaluation, Authorization and Restriction of Chemicals. Continental CST will continue to work on enhancing the sustainable performance of its tires so as to make a valuable contribution to the protection of the environment and to a cleaner future.

Dimensions.



Dimension		Wheel type
8"		
180/70 - 8/4.33	18X7-8	S / SIT
5.00 - 8/3.00	5.00-8	S / SIT
9"		
200/75 - 9/6.00	21X8-9	S / SIT
6.00 - 9/4.00	6.00-9	S / SIT
10"		
200/50 - 10/6.50		SIT
225/75 - 10/6.50	23X9-10	S / SIT
6.50 - 10/5.00	6.50-10	S / SIT
12"		
250/60 - 12/8.00	23X10-12	SIT
250/75 - 12/8.00	27X10-12	S / SIT
7.00 - 12/5.00	7.00-12	S / SIT
15"		
225/75 - 15/7.00	28X9-15	S / SIT
250/70 - 15/7.00		S / SIT
250/70 - 15/7.50		S / SIT
315/70 - 15/8.00		S / SIT
355/65 - 15/9.75		S / SIT
7.00 - 15/5.50	7.00-15	S / SIT
7.50 - 15/6.50	7.50-15	S / SIT
8.25 - 15/6.50	8.25-15	S / SIT
20"		
8.25 - 20/6.50	8.25-20	S / SIT
10.00 - 20/7.50	10.00-20	S
10.00 - 20/8.00	10.00-20	S / SIT
12.00 - 20/8.00	12.00-20	S
12.00 - 20/8.50	12.00-20	S / SIT
12.00 - 20/10.00	12.00-20	S
355/50 - 20/10.00		SIT
24"		
12.00 - 24/8.50	12.00-24	S
12.00 - 24/10.00	12.00-24	S
14.00 - 24/10.00	14.00-24	S

Various dimensions are also available in clean and conductive versions. Your sales representative will be glad to advise you.





Continental Reifen Deutschland GmbH Commercial Specialty Tires

Commercial Specialty Tires Büttnerstraße 25. 30165 Hannover T. +49 511 938-01 mail_service@conti.de www.continental-specialty-tires.com



